

## Product Specifications

### Reclining & Lifting Bathtub GK RELAX

with **electronic control touch panel, electrically height-adjustable**

#### Description

- Tub body and casing constructed of fibreglass with a gelcoated surface
- Incorporated seat with ergonomically designed back rest, raised head rest and drain gutter from the seat pan
- Circulating rubber protection for tub
- Door for easy entrance, electrically upwards opening and closing
- Double lip seal for lateral door with high contact pressure from the door lock
- System is free-standing, without wall or necessary floor mounting
- 4 height-adjustable feet
- Ground clearance for mobile lifts
- Tub fill controllable via touch panel
- Adjustment of temperature via thermostatic mixing valve with digital display of temperature
- Scald protection system via electronic monitoring of temperature
- Patient shower, controllable via the touch panel, with white hose 2,100 mm (6' 11") and self-closing valve on the shower handle
- Manual drain assembly
- Electrical spindle stroke drive for lifting and lowering controllable via hand control
- Electrical spindle drive for incline adjustment
- Battery for emergency operation in case of power failure
- Standard, commercially available valves and fittings
- Connection hoses for cold and hot water
- Drain hose DN 50 (2")

#### Technical Specifications

##### **Connections:**

- Hot and cold water, connector ½"
- Drain Ø 50 mm (2")
- Electrical requirements 230 V / 50 Hz; for other countries 115 V / 60 Hz

##### **Dimensions:**

- Height: 1300 mm – 1450 mm, Width: 780 mm, Length: 1830/2050 mm
- Entrance height: 475 mm

##### **Net Weight:**

- Approx. 150 kg

##### **Water Consumption for a Bath:**

- Approx. 180 litres (prefill of foot area: approx. 90 litres)

#### Certificates

- ÖVGW, CE mark

**Make:** Krämer  
**Type:** GK RELAX  
**Art.No.:** 6.200.00

## Product Specifications

### Options for GK RELAX

#### Injector Disinfection

- Disinfection shower, operated via the touch panel, with red hose 2,000 mm (6' 7") and self-closing valve on handle
- System suitable for 5 L containers
- Feed of the disinfection liquid via injector and adjustable flow gauge
- Full tub does not allow procedure of disinfection
- Conventional disinfection or compulsory disinfection can be programmed

**Make:** Krämer  
**Type:** GK RELAX D  
**Art.No.:** 6.200.10

#### Shampoo- and Bathoil Dispenser

- Built in shampoo and bath additive dispenser
- Activation via touch panel

**Make:** Krämer  
**Type:** GK RELAX SHA  
**Art.No.:** 6.200.20

#### Hydromassage with 2 Jets

- Patented jet system, no plumbing or tubing running between jets, self-draining and disinfect able, ergonomically integrated with 2 jets in foot area of the tub
- Direction and intensity of jets adjustable
- Controlled via touch panel
- Flow rate up to 1.5 L/s at a pressure regulation of 0 - 3 bar
- Automatic draining of standing water in jets after disinfection

**Make:** Krämer  
**Type:** GK RELAX H2  
**Art.No.:** 6.200.30

#### Safety Bar

- One safety bar opposite to the door for extra support

**Make:** Krämer  
**Type:** GK RELAX HA  
**Art.No.:** 6.200.40

#### Leg Rest Stackable

- Support for elevation of legs that can be hooked onto the tub edge

**Make:** Krämer  
**Type:** GK RELAX BA  
**Art.No.:** 6.200.70

### **Backflow Preventer 12/12**

- Backflow preventer for the sanitary piping

**Make: Krämer**  
**Type: GK RELAX SY**  
**Art.No.: 6.200.93**

### **Sound & Vision 3 Spots**

*(only without Shampoo- and Bathoil Dispenser)*

**Sound** – 2 loud speakers laminated into the tub on the right and left side; transmission of the sound waves into the water through the tub body used as sound body

- Individual music selection through build-in MP3 player with USB port
- Volume adjustment and track selection on the touch panel

**Vision** – 3 LED spotlights, integrated into the tub body, are flooding the bathing water with light in one of five pre-set colours or are shining in a gentle continuous colour change.

- Operation on/off/colour change on the touch panel

**Make: Krämer**  
**Type: GK RELAX SV**  
**Art.No.: 1.500.60**

### **Connector with Massage Tube**

*(only in connection with hydro massage)*

- For pressure jet massage treatment including massage tube and nozzle

**Make: Krämer**  
**Type: GK RELAX AK**  
**Art.No.: 1.500.70**

### **Underwater Light with Colour Change**

- Build into the foot end of the tub
- Activated via touch panel
- Activation possible only after water reaches fill level
- Automatic shut off when bathing process is complete

**Make: Krämer**  
**Type: GK RELAX UB**  
**Art.No.: 1.561.01**

### **Turn Button Special 42 °C**

*(only with 1/2" piping)*

- Temperature adjustment with more security; without special tools it cannot be turned up to more than 42 °C (value adjustable)

**Make: Krämer**  
**Type: GK RELAX DS42**  
**Art.No.: 4.201.03**

### **Extra Charge for Thermostat 3/4"**

- Thermostatic mixing valve as 3/4" model instead of 1/2"

**Make: Krämer**  
**Type: GK RELAX T3/4**  
**Art.No.: 6.216.00**