

Product Specifications

Lifting Bathtub GK MAGIC 2000

with **electronic control touch panel, electrically height-adjustable**

Description

- Activation of bathing system only with magnetic access card
- Tub body and casing constructed of fibreglass with a gelcoated surface
- Console made of ABS plastic with lockable lid
- 4 height-adjustable feet
- Grab handles provided for enhanced safety
- Circulating rubber protection for tub
- Ergonomically designed tub ensures greater movement for user and ease of use by the caregiver
- Touch panel for operating of electronic functions with verification of the activated function
- Pre-fill with three automatic pre-set levels - manually interruptible and refillable at any time
- Diagnostic service display allows the user to quickly identify bathing system's service requirements
- Adjustment of temperature via thermostatic mixing valve with electronic monitoring of temperature for fill in, shower and bath
- Tub body with incorporated grooves for tub shorter plate
- Patient shower with white hose 2,100 mm (6' 11") and self-closing valve
- Shower bracket provided with integrated draining tray for residual water from shower head
- Power conservation feature - automatically shuts off unit after bathing process is complete
- Manual drain assembly
- Two electric actuators for height-adjustment to any level
- Up/Down-function of tub controlled through backlit buttons on the touch panel
- Battery for emergency lowering
- Standard, commercially available valves and fittings
- System is self-supporting, without necessary floor or wall mounting

Technical Specifications

Connections:

- Hot and cold water, connector ¾"
- Drain Ø 50 mm (2")
- Electrical requirements 230 V / 50 Hz; for other countries 115 V / 60 Hz

Dimensions:

- Height: 1250 mm (4' 1") – max. 1650 mm (5' 5"), Width: 930 mm (3' 1"), Length: 2240 mm (7' 4")

Working Height:

- Adjustable from 650 mm (2' 2") – 1050 (3' 5") mm

Water Consumption for a Bath:

- Approx. 250 litres

Certificates

- ÖVGW, CE mark

Make: Krämer
Type: GK MAGIC 2000
Art.No.: 4.200.00

Product Specifications

Options for GK MAGIC 2000

Injector Disinfection

- Disinfection controlled by advanced microprocessor and integrated, adjustable flow gauge
- Disinfection shower with red hose 2,000 mm (6' 7") and self-closing valve on handle
- Disinfectant system has an empty level alert that is displayed through the console
- Programmable contact time from 1 to 60 minutes
- Display shows elapsed contact time in one minute increments
- Refill of tub not possible until the disinfectant procedure has been fully completed
- Full tub does not allow procedure of disinfection
- Shower bracket on console with integrated draining tray for residual water from shower head
- System suitable for 5 L containers

Make: Krämer
Type: GK MAGIC 2000 D
Art.No.: 4.200.10

Shampoo- and Bathoil Dispenser

- Built in shampoo and bath additive dispenser
- Activation via touch panel

Make: Krämer
Type: GK MAGIC 2000 SHA
Art.No.: 4.200.20

Hydromassage with 2 Jets

- Patented jet system, no plumbing or tubing running between jets, self-draining and disinfect able, ergonomically integrated with 2 jets in foot area of the tub
- Direction and intensity of jets as well as duration of treatment adjustable
- Controlled via touch panel
- Flow rate up to 1.5 L/s at a pressure regulation of 0 - 3 bar
- Automatic shut off of jets if water drains
- Automatic draining of standing water in jets after disinfection
- Removable jet covers for easier cleaning

Make: Krämer
Type: GK MAGIC 2000 H2
Art.No.: 4.200.30

Hydromassage with 5 Jets

- Patented jet system, no plumbing or tubing running between jets, self-draining and disinfect able, ergonomically integrated with one jet in foot area and two of each on the left and right side

Make: Krämer
Type: GK MAGIC 2000 H5
Art.No.: 4.200.40

Ultrasound System

- Ultra sound emitter build into the foot end of the tub
- Can be activated only if there is enough water in the tub

Make: Krämer
Type: GK MAGIC 2000 US
Art.No.: 4.200.50

Aroma Therapy

(only in connection with hydromassage)

- releases a provided aroma (e.g. essential oil) into the bathing water through the use of the hydro jet system
- aroma chamber for providing and refilling of the aroma is built into the tub edge

Make: Krämer
Type: GK MAGIC 2000 AT
Art.No.: 4.000.80

Tub Shorter Plate GK Magic

- For smaller persons the foot space can be reduced by sliding the tub shorter plate, a plastic board with handle, into the corresponding incorporated grooves in the tub body.

Make: Krämer
Type: GK MAGIC 2000 WV
Art.No.: 4.100.80

Sound & Vision 4 Spots

Sound – 2 loud speakers laminated into the tub on the right and left side; transmission of the sound waves into the water through the tub body used as sound body

- Individual music selection through build-in MP3 player with USB port
- Volume adjustment and track selection on the touch panel

Vision – 4 LED spotlights, integrated into the tub body, are flooding the bathing water with light in one of five pre-set colours or are shining in a gentle continuous colour change.

- Operation on/off/colour change on the touch panel

Make: Krämer
Type: GK MAGIC 2000 SV
Art.No.: 1.500.60

Connector with Massage Tube

(only in connection with hydro massage)

- For pressure jet massage treatment including massage tube and nozzle

Make: Krämer
Type: GK MAGIC 2000 AK
Art.No.: 1.500.70

Head Rest

- Can be fixed inside the tub via suction cup

Make: Krämer
Type: GK MAGIC 2000 KO
Art.No.: 1.500.90

Underwater Light with Colour Change

- Build into the foot end of the tub
- Activated via touch panel
- Activation possible only after water reaches fill level
- Automatic shut off when bathing process is complete

Make: Krämer
Type: GK MAGIC 2000 UB
Art.No.: 1.561.01

Backflow Preventer 12/12

- Backflow preventer for the sanitary piping

Make: Krämer
Type: GK MAGIC 2000 SY
Art.No.: 6.200.93

Turn Button Special 42 °C

- Temperature adjustment with more security; without special tools it cannot be turned up to more than 42 °C (value adjustable)

Make: Krämer
Type: GK MAGIC 2000 DS42
Art.No.: 4.201.03

Surcharge Customized Tub Body GK Magic series

- 25 cm shorter, 30 cm longer (requires floor or wall mounting) or “narrow edge” tub body (without handles) instead of the standard

Make: Krämer
Type: GK MAGIC 2000 AUF
Art.No.: 4.200.AUF

Side door GK Magic series

(only with standard length)

- Tub body with a side door as option to enter the tub from the side, operated manually

Make: Krämer
Type: GK MAGIC 2000 TÜR
Art.No.: 4.100.83

Foot switch pneumatic

(only with side door)

- Foot switch for raising and lowering the tub additionally to the control panel, operated with air pressure for more safety

Make: Krämer
Type: GK MAGIC 2000 FP
Art.No.: FUSS