

## Product Specifications

### Lifting Bathtub GK COMPACT E electrically height-adjustable

#### Description

- Tub body and casing constructed of fibreglass with a gelcoated surface
- 4 height-adjustable feet
- Circulating rubber protection for tub
- Ergonomically designed tub ensures greater movement for user and ease of use by the care giver
- Tub body with incorporated grooves for tub shorter plate
- Adjustment of temperature via thermostatic mixing valve with electronic monitoring of temperature for fill in and shower
- Up/Down-function of tub controlled via touch panel
- Diagnostic service display allows the user to quickly identify bathing system's service requirements
- Patient shower with white hose 2,100 mm (6' 11") and self-closing valve
- Manual drain assembly
- Two electric actuators for height-adjustment to any level
- Standard, commercially available valves and fittings
- System is free-standing

#### Technical Specifications

##### **Connections:**

- Hot and cold water, connector ½"
- Drain Ø 50 mm (2")
- Electrical requirements 230 V / 50 Hz; for other countries 115 V / 60 Hz

##### **Dimensions:**

- Width: 830 mm, Length: 2065 mm

##### **Working Height:**

- Adjustable from 695 mm – 945 mm

##### **Water Consumption for a Bath:**

- Approx. 250 litres

#### Certificates

- CE mark

**Make:** Krämer  
**Type:** GK COMPACT E  
**Art.No.:** 3.700.00

## Product Specifications

### Options for GK COMPACT E

#### Injector Disinfection

- Disinfection shower, operated via a manual shut-off valve, with red hose 2,000 mm (6' 7") and self-closing valve on handle
- System suitable for 5 L containers
- Feed of the disinfection liquid via injector and adjustable flow gauge

**Make:** Krämer  
**Type:** GK COMPACT D  
**Art.No.:** 3.800.10

#### Safety Bar in Pairs

- Two grab handles for additional support

**Make:** Krämer  
**Type:** GK COMPACT HA  
**Art.No.:** 3.800.40

#### Hydromassage with 2 Jets

- Patented jet system, no plumbing or tubing running between jets, self-draining and disinfect able, ergonomically integrated with 2 jets in foot area of the tub
- Direction of jets adjustable
- Controlled via touch panel
- Flow rate up to 1.5 L/s at a pressure regulation of 0 - 3 bar
- Removable jet covers for easier cleaning

**Make:** Krämer  
**Type:** GK COMPACT E H2  
**Art.No.:** 3.900.30

#### Ultrasound System

- Ultra sound emitter build into the foot end of the tub
- Can be activated only if there is enough water in the tub

**Make:** Krämer  
**Type:** GK COMPACT US  
**Art.No.:** 3.700.50

#### Aroma Therapy

*(only in connection with hydromassage)*

- releases a provided aroma (e.g. essential oil) into the bathing water through the use of the hydro jet system
- aroma chamber for providing and refilling of the aroma is built into the tub edge

**Make:** Krämer  
**Type:** GK COMPACT AT  
**Art.No.:** 4.000.80

### **Pre Fill**

- The tub fill, operated via the touch panel, stops automatically at a pre-set level.
- A manual interruption and refill is possible at any time.

**Make: Krämer**  
**Type: GK COMPACT E FÜ**  
**Art.No.: 3.900.60**

### **Tub Shorter Plate GK Compact**

- For smaller persons the foot space can be reduced by sliding the tub shorter plate, a plastic board with handle, into the corresponding incorporated grooves in the tub body.

**Make: Krämer**  
**Type: GK COMPACT WV**  
**Art.No.: 3.700.80**

### **Underwater Light with Colour Change**

- Build into the foot end of the tub
- Operation via additionally installed air switch

**Make: Krämer**  
**Type: GK COMPACT E UB**  
**Art.No.: 1.561.01**

### **Sound & Vision 3 Spots**

**Sound** – 2 loud speakers laminated into the tub on the right and left side; transmission of the sound waves into the water through the tub body used as sound body

- Individual music selection through build-in MP3 player with USB port
- Volume adjustment and track selection on a separate touch panel

**Vision** – 3 LED spotlights, integrated into the tub body, are flooding the bathing water with light in one of five pre-set colours or are shining in a gentle continuous colour change.

- Operation on/off/colour change on a separate touch panel

**Make: Krämer**  
**Type: GK COMPACT E SV**  
**Art.No.: 1.500.60**

### **Head Rest**

- Can be fixed inside the tub via suction cup

**Make: Krämer**  
**Type: GK COMPACT KO**  
**Art.No.: 1.500.90**

**Backflow Preventer 12/12**

- Backflow preventer for the sanitary piping

**Make:** Krämer  
**Type:** GK COMPACT SY  
**Art.No.:** 6.200.93

**Emergency Lowering**

- For lowering the bath in case of power failure

**Make:** Krämer  
**Type:** GK COMPACT E NA  
**Art.No.:** 4.000.15